

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Nursing Home Name

BENTLEY CARE CENTER

BROAD CREEK CARE CENTER

VI AT AVENTURA

VI AT HIGHLANDS RANCH SKILLED NURSING

VI AT LA JOLLA VILLAGE

VI AT LAKESIDE VILLAGE






VI AT PALO ALTO

VI AT SILVERSTONE, A VI AND PLAZA COMPANIES
COMMUN

VI AT THE GLEN








Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased		Footnote-1
	17.9%	
		Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	15.2%	
		Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	16.4%	
	2.3%	
		Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
		Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	3.4%	






Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who self-report moderate to severe pain	Footnote-2
 8.7%	
 12%	
 0%	
 18%	
 11.6%	
 2.2%	
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
 6.3%	








Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3
 8.4%	
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
 8.2%	
	0%
 7.3%	
 3.4%	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
 3.1%	

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)



Percent of long-stay residents who lose too much weight	Footnote-4
 11.5%	
 7.7%	
 11.3%	
 11.9%	
 11.4%	
 10.8%	
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
	Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.
 15.3%	

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)


Percent of long-stay low-risk residents who lose control of their bowels or bladder

67.5%



65.4%

45.5%



71.9%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.


Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have had a catheter inserted and left in their bladder




Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6	Percent of long-stay residents with a urinary tract infection
	13.1%
	10.3%
	19%
	4.8%
	12.1%
	1.5%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	
	7.1%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7	Percent of long-stay residents who have depressive symptoms
	4.2%
	0%
	0%
	9.3%
	2.1%
	0%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	6.7%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	0%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8	Percent of long-stay residents who were physically restrained
	0%
	0%
	0%
	0%
	0%
	4.5%
	0%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	
	0%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury
	3.6%
	7.1%
	3.1%
	11.6%
	3.1%
	1.5%
	0%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	
	2%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12	Percent of short-stay residents who self-report moderate to severe pain
	9.4%
	20%
	9.4%
	13.6%
	32.1%
	10.4%
	43.1%
Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.	35.1%
	25.7%

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

Vi Quality Measures


Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)



Vi Quality Measures

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.